

Bird species present at the Santa Lucia Preserve

- | | | |
|-----------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> □ Loon, Common - UW <i>Gavia immer</i> | <ul style="list-style-type: none"> □ Redhead - RW <i>Aythya Americana</i> | <ul style="list-style-type: none"> □ Falcon, Prairie - R <i>Falco mexicanus</i> |
| <ul style="list-style-type: none"> □ Grebe, Eared - CW <i>Podiceps nigricollis</i> | <ul style="list-style-type: none"> □ Duck, Ring-necked - CW <i>Aythya collaris</i> | <ul style="list-style-type: none"> □ Falcon, Peregrine - RW <i>Falco peregrinus</i> |
| <ul style="list-style-type: none"> □ Grebe, Pied-billed - U <i>Podilymbus podiceps</i> | <ul style="list-style-type: none"> □ Goldeneye, Common - UW <i>Bucephala clangula</i> | <ul style="list-style-type: none"> □ Quail, California - C <i>Callipepla californica</i> |
| <ul style="list-style-type: none"> □ Grebe, Western - UW <i>Aechmophorus occidentalis</i> | <ul style="list-style-type: none"> □ Bufflehead - CW <i>Bucephala albeola</i> | <ul style="list-style-type: none"> □ Quail, Mountain - C <i>Oreortyx pictus</i> |
| <ul style="list-style-type: none"> □ Pelican, American White - RW <i>Pelecanus erythrorhynchos</i> | <ul style="list-style-type: none"> □ Merganser, Hooded - RW <i>Lophodytes cucullatus</i> | <ul style="list-style-type: none"> □ Turkey, Wild - CN <i>Meleagris gallopavo</i> |
| <ul style="list-style-type: none"> □ Cormorant, Double-crested - C <i>Phalacrocorax auritus</i> | <ul style="list-style-type: none"> □ Merganser, Common - U <i>Mergus merganser</i> | <ul style="list-style-type: none"> □ Moorhen, Common - R <i>Gallinula chloropus</i> |
| <ul style="list-style-type: none"> □ Heron, Great Blue - C <i>Ardea herodias</i> | <ul style="list-style-type: none"> □ Duck, Ruddy - CS <i>Oxyura jamaicensis</i> | <ul style="list-style-type: none"> □ Coot, American - C <i>Fulica americana</i> |
| <ul style="list-style-type: none"> □ Egret, Great - C <i>Ardea alba</i> | <ul style="list-style-type: none"> □ Vulture, Turkey - CS <i>Cathartes aura</i> | <ul style="list-style-type: none"> □ Rail, Virginia - CW <i>Rallus limicola</i> |
| <ul style="list-style-type: none"> □ Heron, Green - UW <i>Butorides virescens</i> | <ul style="list-style-type: none"> □ Condor, California - R <i>Gymnogyps californianus</i> | <ul style="list-style-type: none"> □ Sora - CW <i>Porzana carolina</i> |
| <ul style="list-style-type: none"> □ Night-heron, Black-crowned - CW <i>Nycticorax nycticorax</i> | <ul style="list-style-type: none"> □ Harrier, Northern - C <i>Circus cyaneus</i> | <ul style="list-style-type: none"> □ Golden-plover, American - RF <i>Pluvialis dominica</i> |
| <ul style="list-style-type: none"> □ Goose, Canada - C <i>Branta canadensis</i> | <ul style="list-style-type: none"> □ Kite, White-tailed - C <i>Elanus caeruleus</i> | <ul style="list-style-type: none"> □ Killdeer - C <i>Charadrius vociferous</i> |
| <ul style="list-style-type: none"> □ Goose, Ross' - RW <i>Chen rossii</i> | <ul style="list-style-type: none"> □ Hawk, Sharp-shinned - C <i>Accipiter striatus</i> | <ul style="list-style-type: none"> □ Yellowlegs, Greater - C <i>Tringa melanoleuca</i> |
| <ul style="list-style-type: none"> □ Duck, Wood - UW <i>Aix sponsa</i> | <ul style="list-style-type: none"> □ Hawk, Cooper's - C <i>Accipiter cooperii</i> | <ul style="list-style-type: none"> □ Sandpiper, Spotted - UW <i>Actitis macularia</i> |
| <ul style="list-style-type: none"> □ Mallard - C <i>Anas platyrhynchos</i> | <ul style="list-style-type: none"> □ Hawk, Red-shouldered - C <i>Buteo lineatus</i> | <ul style="list-style-type: none"> □ Snipe, Common - CW <i>Gallinago gallinago</i> |
| <ul style="list-style-type: none"> □ Pintail, Northern - RS <i>Anas acuta</i> | <ul style="list-style-type: none"> □ Hawk, Red-tailed - C <i>Buteo jamaicensis</i> | <ul style="list-style-type: none"> □ Gull, California - UW <i>Larus californicus</i> |
| <ul style="list-style-type: none"> □ Wigeon, American - UW <i>Anas Americana</i> | <ul style="list-style-type: none"> □ Hawk, Ferruginous - UW <i>Buteo regalis</i> | <ul style="list-style-type: none"> □ Dove, Mourning - C <i>Zenaida macroura</i> |
| <ul style="list-style-type: none"> □ Shoveler, Northern - CW <i>Anas clypeata</i> | <ul style="list-style-type: none"> □ Eagle, Golden - C <i>Aquila chrysaetos</i> | <ul style="list-style-type: none"> □ Dove, Rock - UN <i>Columba livia</i> |
| <ul style="list-style-type: none"> □ Teal, Cinnamon - CS <i>Anas cyanoptera</i> | <ul style="list-style-type: none"> □ Eagle, Bald - R <i>Haliaeetus leucocephalus</i> | <ul style="list-style-type: none"> □ Pigeon, Band-tailed - C <i>Columba fasciata</i> |
| <ul style="list-style-type: none"> □ Teal, Blue-winged - U <i>Anas discors</i> | <ul style="list-style-type: none"> □ Osprey - UW <i>Pandion haliaetus</i> | <ul style="list-style-type: none"> □ Roadrunner, Greater - U <i>Geococcyx californianus</i> |
| <ul style="list-style-type: none"> □ Teal, Green-winged - CW <i>Anas crecca</i> | <ul style="list-style-type: none"> □ Merlin - RW <i>Falco columbarius</i> | <ul style="list-style-type: none"> □ Owl, Barn - C <i>Tyto alba</i> |
| <ul style="list-style-type: none"> □ Canvasback - CW <i>Aythya valisineria</i> | <ul style="list-style-type: none"> □ Kestrel, American - C <i>Falco sparverius</i> | <ul style="list-style-type: none"> □ Owl, Long-eared - R <i>Asio otus</i> |

C = locally common
S = Spring migrant

U = locally uncommon
W = Winter migrant

R = rare
N = not native

JB Froke 1991-2003
SK Whitford 1999-2005

Bird species present at the Santa Lucia Preserve

- | | | |
|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <input type="checkbox"/> Owl, Great Horned - C <i>Bubo virginianus</i> | <input type="checkbox"/> Woodpecker, Hairy - C <i>Picoides villosus</i> | <input type="checkbox"/> Swallow, Violet-green - CS <i>Tachycineta thalassina</i> |
| <input type="checkbox"/> Owl, Spotted - U <i>Strix occidentalis</i> | <input type="checkbox"/> Woodpecker, Nuttall's - C <i>Picoides nuttallii</i> | <input type="checkbox"/> Swallow, Tree - CS <i>Tachycineta bicolor</i> |
| <input type="checkbox"/> Owl, Northern Saw-whet - C <i>Aegolius acadicus</i> | <input type="checkbox"/> Flicker, Northern - C <i>Colaptes auratus</i> | <input type="checkbox"/> Swallow, Cliff - CS <i>Hirundo pyrrhonota</i> |
| <input type="checkbox"/> Owl, Burrowing - R <i>Athene cucularia</i> | <input type="checkbox"/> Flycatcher, Olive-sided - US <i>Contopus borealis</i> | <input type="checkbox"/> Swallow, Barn - CS <i>Hirundo rustica</i> |
| <input type="checkbox"/> Owl, Flammulated - UW <i>Otus flammeolus</i> | <input type="checkbox"/> Wood-pewee, Western - CS <i>Contopus sordidulus</i> | <input type="checkbox"/> Titmouse, Oak - C <i>Baeolophus inornatus</i> |
| <input type="checkbox"/> Screech-owl, Western - C <i>Otus kennicottii</i> | <input type="checkbox"/> Flycatcher, Pacific-slope - CS <i>Empidonax difficilis</i> | <input type="checkbox"/> Chickadee, Chestnut-backed - C <i>Parus rufescens</i> |
| <input type="checkbox"/> Pygmy-owl, Northern - C <i>Glaucidium gnoma</i> | <input type="checkbox"/> Phoebe, Black - C <i>Sayornis nigricans</i> | <input type="checkbox"/> Bushtit - C <i>Psaltriparus minimus</i> |
| <input type="checkbox"/> Poorwill, Common - CS <i>Phalaenoptilus nuttallii</i> | <input type="checkbox"/> Phoebe, Say's - C <i>Sayornis saya</i> | <input type="checkbox"/> Nuthatch, Red-breasted - U <i>Sitta canadensis</i> |
| <input type="checkbox"/> Nighthawk, Common - R <i>Chordeiles minor</i> | <input type="checkbox"/> Flycatcher, Ash-throated - CS <i>Myiarchus cinerascens</i> | <input type="checkbox"/> Nuthatch, White-breasted - C <i>Sitta carolinensis</i> |
| <input type="checkbox"/> Swift, Vaux's - CS <i>Chaetura vauxi</i> | <input type="checkbox"/> Kingbird, Western - CS <i>Tyrannus verticalis</i> | <input type="checkbox"/> Nuthatch, Pygmy - C <i>Sitta pygmaea</i> |
| <input type="checkbox"/> Swift, White-throated - C <i>Aeronautes saxatalis</i> | <input type="checkbox"/> Shrike, Loggerhead - U <i>Lanius ludovicianus</i> | <input type="checkbox"/> Creeper, Brown - C <i>Certhia americana</i> |
| <input type="checkbox"/> Hummingbird, Anna's - C <i>Calypte anna</i> | <input type="checkbox"/> Vireo, Warbling - CS <i>Vireo gilvus</i> | <input type="checkbox"/> Wren, Bewick's - C <i>Thryomanes bewickii</i> |
| <input type="checkbox"/> Hummingbird, Costa's - R <i>Calypte costae</i> | <input type="checkbox"/> Vireo, Hutton's - C <i>Vireo huttoni</i> | <input type="checkbox"/> Wren, House - C <i>Troglodytes aedon</i> |
| <input type="checkbox"/> Hummingbird, Black-chinned - CS <i>Archilochus alexandri</i> | <input type="checkbox"/> Jay, Steller's - C <i>Cyanocitta stelleri</i> | <input type="checkbox"/> Wren, Winter - U <i>Troglodytes troglodytes</i> |
| <input type="checkbox"/> Hummingbird, Allen's - CS <i>Selasphorus sasin</i> | <input type="checkbox"/> Scrub-jay, Western - C <i>Aphelocoma californica</i> | <input type="checkbox"/> Wren, Marsh - U <i>Cistothorus palustris</i> |
| <input type="checkbox"/> Hummingbird, Rufous - CS <i>Selasphorus rufus</i> | <input type="checkbox"/> Magpie, Yellow-billed - R <i>Pica nuttalli</i> | <input type="checkbox"/> Dipper, American - R <i>Cinclus mexicanus</i> |
| <input type="checkbox"/> Kingfisher, Belted - U <i>Ceryle alcyon</i> | <input type="checkbox"/> Raven, Common - UW <i>Corvus corax</i> | <input type="checkbox"/> Wrentit - C <i>Chamaea fasciata</i> |
| <input type="checkbox"/> Woodpecker, Acorn - C <i>Melanerpes formicivorus</i> | <input type="checkbox"/> Crow, American - C <i>Corvus brachyrhynchos</i> | <input type="checkbox"/> Kinglet, Golden-crowned - CW <i>Regulus satrapa</i> |
| <input type="checkbox"/> Woodpecker, Lewis' - U <i>Melanerpes lewis</i> | <input type="checkbox"/> Lark, Horned - R <i>Eremophila alpestris</i> | <input type="checkbox"/> Kinglet, Ruby-crowned - CW <i>Regulus calendula</i> |
| <input type="checkbox"/> Sapsucker, Red-breasted - UW <i>Sphyrapicus rubber</i> | <input type="checkbox"/> Martin, Purple - US <i>Progne subis</i> | <input type="checkbox"/> Gnatcatcher, Blue-gray - CS <i>Poliophtila caerulea</i> |
| <input type="checkbox"/> Woodpecker, Downy - U <i>Picoides pubescens</i> | <input type="checkbox"/> Swallow, N. Rough-winged - US <i>Stelgidopteryx serripennis</i> | <input type="checkbox"/> Bluebird, Western - C <i>Sialia mexicana</i> |

C = locally common
S = Spring migrant

U = locally uncommon
W = Winter migrant

R = rare
N = not native

JB Froke 1991-2003
SK Whitford 1999-2005

Bird species present at the Santa Lucia Preserve

- | | | |
|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> □ Thrush, Varied - UW <i>Ixoreus naevius</i> | <ul style="list-style-type: none"> □ Towhee, California - C <i>Pipilo crissalis</i> | <ul style="list-style-type: none"> □ Goldfinch, Lawrence's - US <i>Carduelis lawrencei</i> |
| <ul style="list-style-type: none"> □ Robin, American - C <i>Turdus migratorius</i> | <ul style="list-style-type: none"> □ Sparrow, Rufous-crowned - R <i>Aimophila ruficeps</i> | <ul style="list-style-type: none"> □ Goldfinch, Lesser - C <i>Carduelis psaltria</i> |
| <ul style="list-style-type: none"> □ Thrush, Swainson's - CS <i>Catharus ustulatus</i> | <ul style="list-style-type: none"> □ Sparrow, Chipping - CS <i>Spizella passerine</i> | <ul style="list-style-type: none"> □ Goldfinch, American - C <i>Carduelis tristis</i> |
| <ul style="list-style-type: none"> □ Thrush, Hermit - US, CW <i>Catharus guttatus</i> | <ul style="list-style-type: none"> □ Sparrow, Grasshopper - CS <i>Ammodramus savannarum</i> | |
| <ul style="list-style-type: none"> □ Mockingbird, Northern - U <i>Mimus polyglottos</i> | <ul style="list-style-type: none"> □ Sparrow, Savannah - CW <i>Passerculus sandwichensis</i> | |
| <ul style="list-style-type: none"> □ Thrasher, California - C <i>Toxostoma redivivum</i> | <ul style="list-style-type: none"> □ Sparrow, Lark - C <i>Chondestes grammacus</i> | |
| <ul style="list-style-type: none"> □ Starling, European - CN <i>Sturnus vulgaris</i> | <ul style="list-style-type: none"> □ Sparrow, Golden-crowned - CW <i>Zonotricha atricapilla</i> | |
| <ul style="list-style-type: none"> □ Waxwing, Cedar - CW <i>Bombycilla cedrorum</i> | <ul style="list-style-type: none"> □ Sparrow, White-crowned - CW <i>Zonotrichia leucophrys</i> | |
| <ul style="list-style-type: none"> □ Warbler, Orange-crowned - CS <i>Vermivora celata</i> | <ul style="list-style-type: none"> □ Sparrow, Fox - CW <i>Passerella iliaca</i> | |
| <ul style="list-style-type: none"> □ Warbler, Nashville - US <i>Vermivora ruficapilla</i> | <ul style="list-style-type: none"> □ Sparrow, Song - C <i>Melospiza melodia</i> | |
| <ul style="list-style-type: none"> □ Warbler, Yellow - US <i>Dendroica petechia</i> | <ul style="list-style-type: none"> □ Junco, Dark-eyed - C <i>Junco hyemalis</i> | |
| <ul style="list-style-type: none"> □ Warbler, Yellow-rumped - CS <i>Dendroica coronata</i> | <ul style="list-style-type: none"> □ Meadowlark, Western - C <i>Sturnella neglecta</i> | |
| <ul style="list-style-type: none"> □ Warbler, Townsend's - CW <i>Dendroica townsendi</i> | <ul style="list-style-type: none"> □ Cowbird, Brown-headed - U <i>Molothrus ater</i> | |
| <ul style="list-style-type: none"> □ Warbler, MacGillivray's - US <i>Oporoomis tolmiei</i> | <ul style="list-style-type: none"> □ Blackbird, Tricolored - C <i>Agelaius tricolor</i> | |
| <ul style="list-style-type: none"> □ Yellowthroat, Common - U <i>Geothlypis trichas</i> | <ul style="list-style-type: none"> □ Blackbird, Red-winged - C <i>Agelaius phoeniceus</i> | |
| <ul style="list-style-type: none"> □ Warbler, Wilson's - CS <i>Wilsonia pusilla</i> | <ul style="list-style-type: none"> □ Blackbird, Brewer's - C <i>Euphagus cyanocephalus</i> | |
| <ul style="list-style-type: none"> □ Chat, Yellow-breasted - RS <i>Icteria virens</i> | <ul style="list-style-type: none"> □ Oriole, Bullock's - CS <i>Icterus bullockii</i> | |
| <ul style="list-style-type: none"> □ Tanager, Western - CS <i>Piranga ludoviciana</i> | <ul style="list-style-type: none"> □ Oriole, Hooded - RS <i>Icterus cucullatus</i> | |
| <ul style="list-style-type: none"> □ Grosbeak, Black-headed - CS <i>Pheucticus melanocephalus</i> | <ul style="list-style-type: none"> □ Finch, Purple - C <i>Carpodacus purpureus</i> | |
| <ul style="list-style-type: none"> □ Bunting, Lazuli - CS <i>Passerina amoena</i> | <ul style="list-style-type: none"> □ Finch, House - C <i>Carpodacus mexicanus</i> | |
| <ul style="list-style-type: none"> □ Towhee, Spotted - C <i>Pipilo maculatus</i> | <ul style="list-style-type: none"> □ Siskin, Pine - C <i>Carduelis pinus</i> | |

Santa Lucia Conservancy
26700 Rancho San Carlos Rd.
Carmel, CA 93923

Ph. 831/626-8595
Fx. 831/626-8522

C = locally common
S = Spring migrant

U = locally uncommon
W = Winter migrant

R = rare
N = not native

JB Froke 1991-2003
SK Whitford 1999-2005